




STATE OF IDAHO

OFFICE OF THE ATTORNEY GENERAL

JIM JONES
ATTORNEY GENERAL

CURT A. FRANSEN
JOHN C. MCCREEDY
DEPUTY ATTORNEYS GENERAL

November 9, 1990



DIVISION OF ENVIRONMENTAL QUALITY
DEPARTMENT OF HEALTH AND WELFARE
1410 N. HILTON, 2ND FLOOR
BOISE, IDAHO 83706
TELEPHONE: (208) 334-0494
TELECOPY: (208) 334-0417

Grace Koh Angelos
Jenner & Block
One IBM Plaza
Chicago, Illinois 60611

TELECOPIED TO (312) 527-0484

~~Re: Avery Landfill~~

Dear Grace:

I have enclosed a copy of the water sample results obtained by the Department. The sample taken came from what is identified as HC#3 on the map that accompanies the Hart Crowser report. There were large amounts of free product in HC#4 and HC#2. Groundwater samples could not be obtained from these wells. Unfortunately, no sample of the free product was taken.

The sample results show that the groundwater in HC#3 contains 58.6 parts per billion (ppb) benzene. The EPA drinking water standard, enforced through the Idaho water quality standards, is 5.0 ppb for benzene.

I hope this is of some help to you. I would like to see a meeting between Potlatch, the Department and you folks in the near future.

Yours very truly,

Douglas M. Conde
Deputy Attorney General

DMC/pg


cc: Susan Martin
Paul Jehn
Ed Tulloch

Enclosure




Site and Exploration Plan

4



- ⊕ MW-1 Monitoring Well Location and Number
- ⊕ 1 Existing Monitoring Well Location and Number

0 150 300
Scale in Feet



HARTCROWSER
J-2298-01 6/89
Figure 1